17/08/22

Current / latest versions are at the top.

Gauge Models			
ULTRASONIC THICKNESS GAUGE MODEL M5-SG SERIAL NO.			
V5.47 (M5-SG all models – Cygnus 2/3/4/5/6) Aug 2022			
Fix for a Probe Detection issue on V5.46.			
V5.46 (M5-SG all models – Cygnus 2/3/4/5/6) Aug 2022			
Fix for B-Scans sometimes not saving to SD Card.			
V5.43 (M5-SG all models - Cygnus 2/3/4/5/6) Jun 2022			
New release of M5-SG firmware			
Gauge Models			
Cygnus 2 ⁺ Serial No. Cygnus 4 ⁺ Serial No. Serial No. Cygnus 5 ⁺ Serial No. Serial No.			
Cygnus 2	Cygnus 3 / 4 / 5 / 6		
V531-R966 (C2) Jun 2021	V531-R966 (C4/C6) V531-R968 (C3/C5) Jun 2021		
As C3/4/5/6 V5.31>	 Probe Zero method updated for new T5BH probes. Bug fix – Vibrate Alert when Auto Log enabled. 		
V530-R963 (C2) Feb 2021	V530-R963 (C4/C3/C6), V530-R964 (C3/C5) Feb 2021		
As C3/4/5/6 V5.30>	 Probe Zero method updated for new HT probes. ME Measurements updated for new S3C probes. Bug fix - Factory Menu - Sxx probe gain adjustment. Bug fix - gain boost when measuring plastics. C5+ Removed Manual Gain Mode in ME Measuring Mode. 		
V529-R960 (C2) June 2020	V529-R960 (C3/C4/C6), V529-R961 (C3/C5 CN) June 2020		
• As C3/4/6 V5.29>	Bugfix in Manual Gain Mode.		
V528-R959 (C2) April 2020	V528-R959 (C3/C4/C6), V528-R960 (C3/C5 CN) April 2020		
• As C3/4/6 V5.28>	 Improvements to AutoGain in SE Mode. Improvements to EE Mode. 		

17/08/22

V526-R922 (C2) June 2019	V526-R921 (C3/C4/C6 EN Only) June 2019	
• As C3/4/6 V5.26>	C3+ EN Gauge Added	
V525-R913 (C2) February 2019	V525-R911 (C4/C6), V525-R910 (C3/C5 CN) February 2019	
• As C3/4/5/6 V5.25>	SE Mode update.C5 fix for 'no probe files found' message	
V524-R899 (C2) December 2018	V524-R899 (C4/C6), V524-R900 (C3/C5) December 2018	
• As C3/4/5/6 V5.24>	ME Mode – updated so S2C measures 250mm steel blocks stably.	
	V523-R891 (C4/C6) October 2018	
	 Support for new Bluetooth module. High Temp Compensation now enables Manual Gain Mode. Maximum manual gain value is 58dB. 790 Probe profile revised. 	
V5.22-R876 August 2018	V522-R880 (C4/C6) & V522-R881 (C3/C5) August 2018	
• As C3/4/5/6 V5.22>	• Fixed measurement issue with older T5B Probes (up to s/n 20370C) in SE Mode.	
	V521-R876 (C6) & V521-R877 (C3) July 2018	
	Fixed B-Scan Issue on Cygnus 6+ and Cygnus 3+ models.	
V5.20-R874 June 2018	V5.20-R874 (C4, C6) & V5.20-R875 (C3, C5) June 2018	
 As C3/4/5/6 V5.20> Automatically supports LCD or OLED Display depending on hardware configuration. 	 Added Probe Gain Setting for T** probes when Single Point Calibration performed on Test Block (1/2" or 15mm). 	
V5.18-R845 June 2017	V5.17-R845 June 2017	
• As C4/6 V5.17>	 Changed ME Algorithm to remove occasional doubling and halving on heavy corrosion. Improved measurements through coatings. Data Logging fix for incorrect Radial Point names. Added High Temperature Compensation feature to Cygnus 4+ gauges. 	

17/08/22

		V5.16-R831 June 2017 B-Scan to CygLink: Fixed issue when sending more than 10 B-Scan files to CygLink.		
	V5.17-R756 March 2017	V5.15-R756 March 2017		
	• As Cygnus 4 V5.15>	 Changed ME Algorithm to improve measurement performance and bring in line with Mk4 gauges. 		
Version & Details	V5.16-R745 February 2017	V5.14-R745 February 2017		
	• As Cygnus 4 V5.14>	 Changed ME Algorithm to improve measurement performance on thinner corroded metal. 		
	V5.15-R733 October 2016	V5.13-R735 October 2016		
	• As Cygnus 4 V5.13>	 Probe Setups now loaded into the Gauge APD Detection method improved Prompts user to select probe when APD can't identify EE measurement improved Probe Zero measurement method improved Added T5BH probe to C6 gauge 		
		 V5.12-R660 April 2016 Added Two Point Cal. for ME Mode Added Update Rate option for T** Probes Added D790 Option in Probe Menu (C6+ only) Added Display Colour option added Enlarged A-Scan graph area Reduced power use and scan rate to 4Hz in ME mode 		
	V5.14-R649 February 2016 Update for SE Mode	-	-	
	V5.13-R638 January 2016 • Fix for manual probe change in menu	-	-	
	V5.12-R637 January 2016 Fix for not displaying gauge info on boot	-	-	
	V5.11-R631	V5.11-R633	V5.11-R633	

17/08/22

December 2015	December 2015	December 2015
Fix for probe data transfer	Bluetooth Update	Bluetooth Update
V5.10-R627	V5.10-R627	V5.10-R627
December 2015	December 2015	December 2015
Min Measuring Range	Min Measuring Range	Min Measuring Range
	Data Logging on 4+	Data Logging
	CygLink v5	B-Scan
	Manual Gain on 4+	CygLink v5
V5.05-R517	V5.05-R513	V5.05-R513
June 2015	June 2015	June 2015
General update.	General update.	General update.
V5.04-R508	V5.04-R508	V5.04-R508
June 2015	June 2015	June 2015
General update.	General update.	Manual Gain feature added.
		General update.
V5.03-R497	V5.03-R497	
May 2015	May 2015	
Improvement to Echo-Echo Measurement.	Improvement to Echo-Echo	
ivieasurement.	Measurement.	
	Minor fixes in Data Logging	
V5.02-R488	V5.02-R488	
May 2015	May 2015	
First release	First release	